




ENDURO[®] ACT + PWR

SERIOUSLY SAFE
SERIOUSLY SUPPORTIVE



BATA INDUSTRIALS
THE SAFETY SHOE

PUTTING THE RECORD STRAIGHT ON SAFETY SHOES

Safety shoes that are intended to protect your feet, could actually be doing them harm. Biomechanical researcher, Terje Haugaa, found that more than 30% of people who wear safety shoes have one or more health-related foot problems. Reason; many safety shoes are designed with a 'banana' shape that forces the foot into an unnatural position.

To tackle the issue, years ago Bata Industrials developed with Terje Haugaa: Walkline®. A biomechanical support system to optimise the wearer's walk and gait. The axis of the shoe, or walk line, matches the foot's longitudinal axis to improve biomechanical function and shock absorption. The outsole has dynamic sections that maximise flexion and torsion when walking to reduce fatigue and create a more energetic walking experience.

We use Walkline® in our famous ACT and PWR ranges. These ranges are best sellers in our collection. At Bata Industrials we constantly strive to improve the performance of our shoes and to make the best professional safety footwear on the market. This is why we decided to update the old derby styles within these ranges with a new design. Together with a new soft, anti-bacterial comfort footbed and an anti-bacterial and odor free lining, these ranges are now ready for the future.

ACT 156 ESD S3

- › Microfiber upper/abrasion resistant PU toecap
- › FlexGuard® composite penetration resistant insert
- › Steel toecap
- › Bata Cool Comfort®-lining
- › Dual density PU-sole
- › Widths W-XW
- › Size range: W 35-48 / XW 38-48
- › UK size range: W 2-13 / XW 5-13 (including 6.5 and 9.5)



ACT 157 ESD S3

- › Microfiber upper/abrasion resistant PU toecap
- › FlexGuard® composite penetration resistant insert
- › Steel toecap
- › Bata Cool Comfort®-lining
- › Dual density PU-sole
- › Widths W
- › Size range: 35-48
- › UK size range: 2-13 (including 6.5 and 9.5)



ACT 158 ESD S3

- › Microfiber upper/abrasion resistant PU toecap
- › FlexGuard® composite penetration resistant insert
- › Steel toecap
- › Bata Cool Comfort®-lining
- › Dual density PU-sole
- › Widths W
- › Size range: 35-48
- › UK size range: 2-13 (including 6.5 and 9.5)



ACT 107 ESD S2

- › Nubuck leather
- › Steel toecap
- › Bata Cool Comfort®-lining
- › Dual density PU-sole
- › Widths W
- › Size range: 35-49
- › UK size range: 2-14



ACT 115 S3

- › Full grain leather/abrasion resistant PU toecap
- › Steel penetration resistant insert
- › Steel toecap
- › Bata Cool Comfort®-lining
- › Dual density PU-sole
- › Widths W-XW-XXW
- › Size range: W 35-49 / XW 38-49 / XXW 40-46
- › UK size range: W 2-14 / XW 5-14 / XXW 6.5-11 (including 6.5 and 9.5)



ACT 112 ESD S3

- › Nubuck leather
- › Steel penetration resistant insert
- › Steel toecap
- › Bata Cool Comfort®-lining
- › Dual density PU-sole
- › Widths W
- › Size range: 35-49
- › UK size range: 2-14 (including 6.5 and 9.5)



ACT 117 S2 / ACT 120 ESD S3

- › Full grain leather
- › Steel penetration resistant insert (ACT 120 ESD)
- › Steel toecap
- › Bata Cool Comfort®-lining
- › Dual density PU-sole
- › Widths ACT 117: W
- › Widths ACT 120: W-XW
- › Size range ACT 117: 35-49
- › Size range ACT 120: W 35-49 / XW 38-49
- › UK size range ACT 117: 2-14 (including 6.5 and 9.5)
- › UK size range ACT 120: W 2-14 / XW 5-14



ACT 113 S2 / ACT 116 ESD S3

- › Full grain leather
- › Steel penetration resistant insert (ACT 116 ESD)
- › Steel toecap
- › Bata Cool Comfort®-lining
- › Dual density PU-sole
- › Widths ACT 113: W
- › Widths ACT 116: W / XW
- › Size range ACT 113: 35-49
- › Size range ACT 116: W 35-49 / XW 38-49
- › UK size range ACT 113: 2-14 (including 6.5 and 9.5)
- › UK size range ACT 116: W 2-14 (including 6.5 and 9.5)



ACT 119 S3

- › Full grain leather/abrasion resistant PU toecap
- › Steel penetration resistant insert
- › Steel toecap
- › Bata Cool Comfort®-lining
- › Dual density PU-sole
- › Widths W-XW-XXW
- › Size range: W 35-49 / XW 38-49 / XXW 40-46
- › UK size range: W 2-14 / XW 5-14 / XXW 6.5-11 (including 6.5 and 9.5)



ACT 124 ESD S1

- › Nubuck leather/nylon mesh upper
- › Steel toecap
- › Bata Cool Comfort®-lining
- › Dual density PU-sole
- › Widths W–XW–XXW
- › Size range: W 38–49 / XW 38–49 / XXW 40–46
- › UK size range: W 5–14 / XW 5–14 / XXW 6.5–11 (including 6.5 and 9.5)



ACT 141 ESD S3

- › Nubuck leather/abrasion resistant PU toecap
- › Steel penetration resistant insert
- › Steel toecap
- › Bata Cool Comfort®-lining
- › Dual density PU-sole
- › Widths W–XW–XXW
- › Size range: W 35–49 / XW 38–49 / XXW 40–46
- › UK size range: W 2–14 / XW 5–14 / XXW 6.5–11 (including 6.5 and 9.5)



ACT 127 ESD S2

- › Nubuck leather
- › Steel toecap
- › Bata Cool Comfort®-lining
- › Dual density PU-sole
- › Widths W
- › Size range: 35–49
- › UK size range: 2–14



ACT 142 ESD S3

- › Nubuck leather/abrasion resistant PU toecap
- › Steel penetration resistant insert
- › Steel toecap
- › Bata Cool Comfort®-lining
- › Dual density PU-sole
- › Widths W–XW–XXW
- › Size range: W 35–49 / XW 38–49 / XXW 40–46
- › UK size range: W 2–14 / XW 5–14 / XXW 6.5–11 (including 6.5 and 9.5)



ACT 128 ESD S2

- › Nubuck leather
- › Steel toecap
- › Bata Cool Comfort®-lining
- › Dual density PU-sole
- › Widths W
- › Size range: 35–49
- › UK size range: 2–14



ACT 143 ESD S1

- › Nubuck leather/nylon mesh upper
- › Steel toecap
- › Bata Cool Comfort®-lining
- › Dual density PU-sole
- › Width W
- › Size range: 35–49
- › UK size range: 2–14 (including 6.5 and 9.5)



ACT 144 ESD S3

- › Full grain leather
- › FlexGuard® composite penetration resistant insert
- › Steel toecap
- › Leather lining
- › Dual density PU-sole
- › Widths W-XW
- › Size range: W 37-49 / XW 38-49
- › UK size range: W 4-14 / XW 5-14 (including 6.5 and 9.5)



ACT 151 S1P

- › Microfiber upper/abrasion resistant PU toecap
- › FlexGuard® composite penetration resistant insert
- › Steel toecap
- › Velcro closure
- › Bata Cool Comfort®-lining
- › Dual density PU-sole
- › Width W
- › Size range: 35-49
- › UK size range: 2-14 (including 6.5 and 9.5)



ACT 152 ESD S1P

- › Microfiber upper/abrasion resistant PU toecap
- › FlexGuard® composite penetration resistant insert
- › Steel toecap
- › Bata Cool Comfort®-lining
- › Dual density PU-sole
- › Width W
- › Size range: 35-49
- › UK size range: 2-14 (including 6.5 and 9.5)



ACT 153 ESD S1P

- › Microfiber upper/abrasion resistant PU toecap
- › FlexGuard® composite penetration resistant insert
- › Steel toecap
- › Bata Cool Comfort®-lining
- › Dual density PU-sole
- › Width W
- › Size range: 35-49
- › UK size range: 2-14 (including 6.5 and 9.5)



HDry®

**A NEW
NAME FOR
THE MOST
ADVANCED
WATERPROOF/
BREATHABLE
FOOTWEAR
TECHNOLOGY
PLATFORM**

Without gaps between the impenetrable waterproof membrane and the fabric underneath, water cannot get trapped in-between these layers. Because of this, there is no chance of water leaking through the fabric after long exposures to rain. A very important feature is that breathability is not affected.

PWR 308 S3

- › Full grain leather
- › Steel penetration resistant insert
- › Steel toecap
- › Bata Cool Comfort®-lining
- › TriTech Plus®-sole
- › Widths X-XW
- › Size range: W 38-48 / XW 38-48
- › UK size range: W 5-13 / XW 5-13 (including 6.5 and 9.5)



PWR 309 S3

- › Full grain leather/abrasion resistant PU toecap
- › Steel penetration resistant insert
- › Steel toecap
- › Bata Cool Comfort®-lining
- › TriTech Plus®-sole
- › Widths X-XW-XXW
- › Size range: W 38-48 / XW 38-48 / XXW 40-46
- › UK size range: W 5-13 / XW 5-13 / XXW 6.5-11 (including 6.5 and 9.5)



PWR 311 S3

- › Full grain leather
- › Steel penetration resistant insert
- › Steel toecap
- › Bata Cool Comfort®-lining
- › TriTech Plus®-sole
- › Widths X-XW-XXW
- › Size range: W 38-48 / XW 38-48 / XXW 40-46
- › UK size range: W 5-13 / XW 5-13 / XXW 6.5-11 (including 6.5 and 9.5)



PWR 312 S3

- › Full grain leather/abrasion resistant PU toecap
- › Steel penetration resistant insert
- › Steel toecap
- › Bata Cool Comfort®-lining
- › TriTech Plus®-sole
- › Widths W-XW-XXW
- › Size range: W 38-48 / XW 38-48 / XXW 40-46
- › UK size range: W 5-13 / XW 5-13 / XXW 6.5-11 (including 6.5 and 9.5)



PWR 318 0 S3

- › Nubuck leather/nylon textile/abrasion resistant PU toecap
- › Steel penetration resistant insert
- › Steel toecap
- › Bata Cool Comfort®-/HDry® waterproof lining
- › TriTech Plus®-sole
- › Widths W-XW
- › Size range: 38-48 / XW 38-48
- › UK size range: 5-13 (including 6.5 and 9.5)



HDry

PWR 319 0 S3

- › Full grain leather/abrasion resistant PU toecap
- › Steel penetration resistant insert
- › Steel toecap
- › Bata Cool Comfort®-/HDry® waterproof lining
- › TriTech Plus®-sole
- › Widths W-XW
- › Size range: 38-48 / XW 38-48
- › UK size range: 5-13 (including 6.5 and 9.5)



HDry

PWR 328 S3

- › Full grain leather/abrasion resistant PU toecap
- › Steel penetration resistant insert
- › Steel toecap
- › Leather lining
- › TriTech Plus®-sole
- › Widths W-XW
- › Size range: 38-48 / XW 38-48
- › UK size range: 5-13 (including 6.5 and 9.5)
- › EN20349:2010 (Welding)





SERIOUSLY.